COTTON

PRETREATMENT

CODE	PRODUCT NAME	APPLICATION	DESCRIPTION
V022	OJAS - C008 Nonionic	Low foaming scouring agent	Suitable for pretreating of cotton, flax and P/C. Have low foaming & both properties of wetting and scouring. Good emulsifying & dispersing property wax, antistates, size etc. DOSAGE: Batch - 0.5 - 1.0 gpl, Continuous bleaching: 1.0 - 5.0 gpl
V023	OJAS - WTD Nonionic	Scouring agent	Suitable for pretreating of cotton, flax and P/C. Have low foaming & both properties of wetting and scouring. Good emulsifying & dispersing property wax, antistates, size etc. APEO, Phosphorous free. DOSAGE: Batch - 0.5 - 1.0 gpl, Continuous bleaching: 1.0 - 5.0 gpl
V024	OJAS - L200 Nonionic	Scouring agent	Nonionic scouring & wetting agent for cotton, viscouse & its blend. Dosage: 0.5 - 1.0 gpl
V025	OJAS - DOSS Anionic	Wetting agent	Anionic wetting agent with excellent rewetting efficiency. Can be used in all process like pretreating, dyeing, finishing of all kinds of fiber, fabrics, package yarns & reeled yarns. Excellent quick penetrating property. DOSAGE: Exhaustion - 0.5 - 1.0 gpl, Padding: 2.0 - 6.0 gpl
V026	OJAS - DBC Anionic	Sequesting agent	Neutral sequesting agent used for multi purpose during process. DOSAGE: Exhaustion/ Padding : 1.0 - 3.0 gpl
V027	OJAS - STAB Anionic	Peroxide stabiliser	Non silicate organic peroxide stabiliser suitable for high temperature bleaching of cellulosic fabric & its blends. Effectively control the decomposition ratio of hydrogen Peroxide. DOSAGE: Exhaustion: 10-20% against H2O2, Padding : 40 - 60% against H2O2
V028	OJAS - SS Nonionic	Peroxide stabiliser	Peroxide stabiliser suitable for high temperature bleaching of cellulosic fabric & its blends.Effectively control the decomposition ratio of hydrogen Peroxide. DOSAGE: Exhaustion: 10-20% against H2O2, Padding : 40 - 60% against H2O2
V029	OJAS - PK Enzyme	Peroxide killer	Suitable for bio-cleaning for peroxide in all kinds of process. DOSAGE: Exhaustion: 0.05 - 0.1 gpl
V030	OJAS - PK2 Enzyme	Peroxide killer	Resistance to pH value 6 - 9. Still has strong peroxide killing effects at pH 9.0. DOSAGE: Exhaustion: 0.05 - 0.1 gpl

DYEING

V031	OJAS - DL Nonionic	Levelling agent for vat dyes	Levelling agent for VAT dyeing process for cotton & its blends. It is excellent dispersant. Can improve dyes compatibility to get good dyeing levelness. DOSAGE: 0.5 - 2.0 gpl
V032	OJAS - TR Anionic	Solubilizer for leuco vat dyes.	Can be used for solubilising VAT dyes during dyeing. DOSAGE: 0.5 - 2.0 gpl
V033	OJAS - R Anionic	Levelling agent for reactive dyes	Used in reactive & direct dyeing process for thick cotton fabric or yarn. Excellent dye penetrating. Electrolyte & alkali resistant. DOSAGE: 0.5 - 2gpl
V034	OJAS - Neutracide Acidic	Alkali neutraliser	Dispersing & complexing properties, silicate dispersant. Through neutralisation of core alkali with improved whiteness of fabric. DOSAGE: 0.5 - 1.0 gpl
V035	OJAS - VIC polymer	Soaping agent	Non- foaming soaping agent used for cellulosic yarn/ fabric after dyeing or printing. Good chealating capability. DOSAGE: Exhaustion: 0.5-2.0 gpl, Padding: 1.0-3.0 gpl